

and y coordinates could increase the accuracy of the ground detection.

Future work will be dedicated to real time obstacle detection in complex environments with the visually impaired assistive devices.

ACKNOWLEDGMENT

This project has received funding from the European Unions Horizon 2020 research and innovation programme under grant agreement No 643636 Sound of Vision.

REFERENCES

- [1] R. Labayrade, D. Aubert, and J. P. Tarel, "Real time obstacle detection in stereovision on non flat road geometry through "v-disparity" representation," in *Intelligent Vehicle Symposium, 2002. IEEE*, vol. 2, June 2002, pp. 646–651 vol.2.
- [2] A. Wedel, H. Badino, C. Rabe, H. Loose, U. Franke, and D. Cremers, "B-spline modeling of road surfaces with an application to free-space estimation," *IEEE Transactions on Intelligent Transportation Systems*, vol. 10, no. 4, pp. 572–583, 2009.
- [3] N. Bernini, M. Bertozzi, L. Castangia, M. Patander, and M. Sabbatelli, "Real-time obstacle detection using stereo vision for autonomous ground vehicles: A survey," in *IEEE 17th International Conference on Intelligent Transportation Systems (ITSC)*, 2014, pp. 1–6.
- [4] M. Bujacz, "Representing 3d scenes through spatial audio in an electronic travel aid for the blind," 2010, PhD Thesis, Technical University of Lodz. [Online]. Available: http://www.bujacz.m.osl.kappa.pl/Bujacz_Michal_-_PhD_Thesis.pdf
- [5] A. Rodriguez, J. J. Yebes, P. F. Alcantarilla, L. M. Bergasa, J. Almazan, and A. Cela, "Assisting the visually impaired: Obstacle detection and warning system by acoustic feedback," *Sensors*, vol. 12, no. 12, pp. 17 476–17 496, 2012.
- [6] S. Mattoccia and P. Macri, "3d glasses as mobility aid for visually impaired people," in *Proc. of the ECCV2014 Workshop*, 2014.
- [7] K. Yang, K. Wang, W. Hu, and J. Bai, "Expanding the detection of traversable area with realsense for the visually impaired," *Sensors*, vol. 10, no. 4, pp. 1–20, 2016.
- [8] A. Burlacu, A. Bostaca, I. Hector, P. Hergelegiu, G. Ivanica, A. Moldoveanu, and S. Caraiman, "Obstacle detection in stereo sequences using multiple representations of the disparity map," in *Int. Conf. on System Theory, Control and Computing, October 2016*, 2016, pp. 1–6.
- [9] H. Hirschmuller, "Stereo processing by semiglobal matching and mutual information," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 30, no. 2, pp. 328–341, Feb 2008.
- [10] R. A. Hamzah, R. A. Rahim, and Z. M. Noh, "Sum of absolute differences algorithm in stereo correspondence problem for stereo matching in computer vision application," in *Computer Science and Information Technology (ICCSIT), 2010 3rd IEEE International Conference on*, vol. 1, July 2010, pp. 652–657.
- [11] A. Geiger, M. Roser, and R. Urtasun, "Efficient large-scale stereo matching," in *Asian Conference on Computer Vision (ACCV)*, 2010.
- [12] J. Lin and D. Kulic, "Human pose recovery using wireless inertial measurement units," *Physiological Measurement*, vol. 33, no. 12, pp. 2099–2115, 2012.
- [13] Y. Jiang, H. Chen, G. Xiong, and D. Scaramuzza, "Icp stereo visual odometry for wheeled vehicles based on a 1dof motion prior," in *IEEE International Conference on Robotics and Automation, May 2014*, 2014, pp. 1–6.
- [14] P. V. C. Hough, "Machine analysis of bubble chamber pictures," in *Proceedings, 2nd International Conference on High-Energy Accelerators and Instrumentation, HEACC 1959*, vol. C590914, 1959, pp. 554–558.
- [15] J. Zhao, J. Katupitiya, and J. Ward, "Global correlation based ground plane estimation using v-disparity image," in *IEEE International Conference on Robotics and Automation, pages = 529–534, year = 2007.*.
- [16] A. Geiger, P. Lenz, and R. Urtasun, "Are we ready for autonomous driving? the kitti vision benchmark suite," in *Computer Vision and Pattern Recognition (CVPR), 2012 IEEE Conference on*, June 2012, pp. 3354–3361.